ADDITIONAL LIST OF INSECTS TAKEN IN ALPINE REGION OF MT. WASHINGTON.

By Annie Trumbull Slosson.

The following list of insects I have captured, in 1897, on Mt. Washington is the fifth I have published. It contains over 200 names. Among these are many new species, and at least one new genus. The five lists include over 1300 species, all taken on or near the summit of the mountain and at or above 5500 feet altitude.

Let me again acknowledge, with thanks, the great assistance cheerfully rendered me by Messrs. Liebeck, Coquillett, Ashmead, Fox, MacGillivray, Van Duzee, Banks and others.

HYMENOPTERA.

Tenthredinidæ.

Tenthredopsis semilutea Nort.

Macrophya n. sp.
Pamphilius n. sp.
Acordulocera sayi Mac G. n. sp.
Tenthredo subrufescens Kirby.
Rhogogastera evansii Harvey.
Pœcilosoma sp.
Gymnonychus appendiculatus Harl
Amauronematus fulvipes Nort.

anniea *MacG*, n. [sp.

Cynipidæ.

Diastrophus nebulosus O. S. Hexaplasta annæ Ashm. n. sp. Andricus sp.

Chalcididæ.

Smicra torvina *Cr*. Tetrastichus sp.

Braconidæ.

Habrobracon hebetor Say.

Chremylus terminalis Ashm.
Amicoplus crambi Ashm.
Apanteles atalantæ Pack.
"notodontæ Ashm. [sp.
Neoblacus rufipes Ashm. n. gen. n.
Mesocrina flaviventris Ashm. n. sp.

Ichneumonidæ.

Ichneumon signatipes Cr.
Exochilum nigrovenarium Brulle.
Mesochorus vitreus Walsh.
"aprilinus Ashm.
Proedrus delicatus Ashm. n. sp.
Pyracmon clypeatum Ashm.
Leptopygus monticola Ashm.
Isotina tibialis Ashm.
Aperilaptus parvus Ashm.
Homaspis slossonæ Ashm.
Hypoleptus columbianus Ashm.
"monticola Ashm. n. sp.

"monticola Ashm. n. sp. Phænosemus alticola Ashm. n. sp. Cryptus exilis Prov.
Asyncrita compressa Ashm.
Hemiteles longicornis Prov.
Phygadeuon alticola Ashm. n. sp.

" alacris *Prov.* " vulgaris *Cr.*

Orthocentrus carinatus *Prov.* [n. s. Trachyporthus americanus *Ashm.*

Proctotrypidæ.

Proctotrypes monticola Ashm. Anectata hirtifrons Ashm. [n. sp. Zygota americana Ashm. Aneurhynchus virginicus Ashm.

Chrysididæ.

Chrysis nitidula Fab.

Pemphredonidæ. Pemphredon angularis *Fox*.

Eumenidæ.

Odynerus albophaleratus Sauss.
" sp. (near cristatus Sauss.)

COLEOPTERA.

Carabidæ.

Loricera cærulescens *Linn*. Pterostichus luctuosus *Dej*. Amara angustata *Say*. Lebia viridis *Say*.

Dytiscidæ.

Hydroporus tristis *Payk*.

" latifrons *Sharp*.

Agabus ambiguus *Say*.

Hydrophilidæ.

Helophorus lineatus *Say*. Cercyon hæmorrhoidalis *Fab*.

Staphylinidæ.

Stenus punctatus *Er*. "femoratus *Say*.

Phalacridæ.

Olibrus neglectus Casey.

Coccinellidæ.

Coccinella monticola *Muls*. Hyperaspis signata *Oliv*. undulata *Say*.

Endomychidæ.

Mycetina perpulchra Newm.

Erotylidæ.

Mycotretus dissimulata Cr.

Cryptophagidæ.

Antherophagus ochraceus Melsh.

Histeridæ.

Hister cognatus Lec.?

Nitidulidæ.

Cercus pennatus Murr.

Latridiidæ.

. Corticaria grossa Lec.

Trogositidæ.

Peltis ferruginea *Linn*. Calitys scabra *Thunb*.

Byrrhidæ.

Byrrhus kirbyi Lec.

Elateridæ.

Cryptohypnus var. lucidulus *Mann*.
Melanotus leonardi *Lec*.
Campylus productus *Rand*.
Corymbites nigricollis *Bland*.
"hamatus *Say*.

Throscidæ.

Throscus constrictor Say.

Buprestidæ.

Anthaxia viridifrons *Lal*.

Agrilus otiosus *Say*.

Lampyridæ.

Pyropyga fenestralis *Melsh*. Pyractomena lucifera *Melsh*. Telephorus bilineatus *Say*.

Malachidæ.

Attalus terminalis Er.

Ptinidæ.

Cænocara intermedia Lec.

Scarabæidæ.

Onthophagus pennsylvanicus *Har*. Aphodius hyperboreus *Lec*.

- " vittatus Say.
- " rubripennis Horn.

Serica sericea *Ill*.
Trichius affinis *Gory*.

Cerambycidæ.

Neoclytus erythrocephalus Fab. Anthophilax malachiticus Hald. Acmæops pratensis Laich.

Chrysomelidæ.

Lina lapponica *Linn*.
Crepidodera robusta *Lec*.

Melandrvidæ.

Phryganophilus collaris Lec.

Pythidæ.

Pytho americanus Kirby.

Mordellidæ.

Mordellistena morula Lec.

Rhinomaceridæ.

Rhinomacer pilosus Lec.

Curculionidæ.

Pissodes dubius *Rand*.
Magdalis sp.

Magdalis sp.
Elleschus bipunctatus *Linn*.
Orchestes ephippiatus *Say*.
Cnemogonus lecontei *Dietz*.
Ceutorhynchus decipiens *Lec*.
Balaninus nasicus *Say*.

DIPTERA.

Platyura elegans *Coq.* Polylepta grisea *Walk*. Dynastosoma scalaris *Lw.* Mycetophila bifasciata *Walk*.

" bipunctata Lw.

n. sp.

Sciara inconstans *Filch*. Simulium meridionale *Riley*. Hesperinus brevifrons *Walk*. Scatopse brevicornis *Meig*. Culex impiger *Walk*.

Chironomus festivus Say.

" riparius Meig.

" n. sp.?

Tanypus decedens Walk.

concinnus Coq.

"n. sp.? Ceratopogon sp. Psychoda alternata Say. Erioptera armata O. S. Symplectra punctipennis Meig. Limnophila areolata O. S. Trichocera gracilis Walk. Tipula cincta Lw.

"fragilis Lw.
Pachyrrhina ferruginea Fab.
Leptis incisa Lw.
Asilus annulatus Willst.
Dasyllis sacrator Watk.
Thereva strigipes Lw.
Empis kevigata Lw.
Microphorus? sp.?

Rhamphomyia longipennis Lw.

" rustica Lw.

n. sp.

" n. sp.

Cyrtoma longipes Lw.

" pilipes Lw.

Tachydromia rapax Lw. Diaphorus n. sp.? Xanthochlorus helvinus Lw. Chilosia petulea Willst. Melanostoma obscurum Say. Platychirus ciliatus Bigot. Syrphus arcuatus Fall.

" disjectus Willst.

" n. sp.

Didea fuscipes Lw.
Brachyopa notata O. S.
Sericomyia chrysotoxoides Macq.
Myopa clausa Lw.
Pipunculus n. sp.

" n. sp.

Nephrocerus* n. sp.
Platypeza velutina Lw.
Exorista grisiomicans V. d. W.
Hypostena variabilis Coq.
Thryptocera flavipes Coq.
Rhynchodexia rutipennis Macq.
Ptilodexia tibialis Desv.
Helicobia helicis Town.
Lucilia cornicina Fab.
Anthomyia latitarsis Zett.
Pegomyia vicina Lint.
Lispa sociabilis Lw.
Anthomyid n. gen. ? n. sp. ?
Phorbia acra Walk.

n, sp.

Cordylura carbonaria Walk.

" gracilipes Lw.

" pleuritica Lw.

Scatophaga squalida Meig.

" canadensis Walk.

Blepharoptera leucostoma Lw. Tetanocera sparsa Lw.

" n. sp.

Sepedon pusilius Lw.
Loxocera pectoralis Lw.
Psıla collaris Lw.
Psairoptera* n. sp.
Sapromyza cincta Lw.

Heteroneura flavifascies Coq. "pictipes* Zett.

^{* &}quot;Not before recognized from America," D. W. Coquillett.

Sepsis violacea Meig.
Anthomyza tenuis Lw.
Stegana coleoptrata Scop.
Drosophila graminum Fall.
Crassiseta longula Lw.
Oscinis trigramma Lw.
Borborus geniculatus Macq.
Phora minuta Ald.

HEMIPTERA. Heteroptera.

Zicrona cupræa *Dallas*. Pilophorus amæmus *Uhl*.

Homoptera.

Cixius colæpium Fitch.

Stenocranus lautus Van D. Cicadula punctifrons var. ameri-[cana Van D.

NEUROPTERA.

Hemerobius sp. Nemoura venosa *Bks.* Psocus striatus *Burm.*

ORTHOPTERA.

Melanoplus extremus.

ARACHNIDÆ.

Ergane borealis *Blk*.
Cornicularia directa *Camb*.
Philodroma rufus *Watsh*.

TYPES IN THE NEUMOEGEN COLLECTION. WITH A FEW NOTES THEREON.

By Dr. Rodrigues Ottolengui.*
(Continued from vol. vii, p. 230.)

Omia nesææ & Smith. Utah.

In Mr. Neumoegen's notes both the genus and the species are credited to Smith. No mention of either appears in Smith's Check List nor his Catalogue of Noctuidæ. In the latter on page 284, *Omia* is alluded to as a synonym. I cannot clear up this mystery, not knowing where the description of the species was published.

Schinia tenuescens $\mathcal{J}(\mathfrak{P})$ Grt. Colorado.

Type label reads Lygranthæcia tenuescens.

Schinia biundulata & Smith. Texas.

Schinia arefacta Q Hy. Edw. Florida.

Type label reads Tamilla arefacta.

Schinia unimacula & Smith. Colorado, Bruce.

Schinia obtiqua 3 (3) Smith.

Locality label missing. Habitat in Arizona.

^{*} When this work was begun it was undertaken with little realization of the time which would be required. After the first instalment had been prepared the collection was moved from New York city to Brooklyn, where it now is deposited in the museum of the Brooklyn Institute awaiting a purchaser. This has necessitated special trips to that city for each instalment and must account for lapse of time between each. As an example of the work involved it may not be amiss to mention that the present instalment is the result of eleven hours spent examining the types, besides the time occupied in writing, etc. This concludes the Noctuids, but there are still the Geometers and foreign species to be enumerated. Previous instalments of this article may be found on pages 216-220, vol. vi; also 227-230, vol. vii.